

MONITOR SERIES

HV-20RX100

HiView 20 Inch Monitor



Resolution: 1600×900

Brightness: 250 cd/m²

Contrast: 1000:1

Response Time: 5ms

Input: VGA×1, HDMI×1

Power Rating: DC 12V/2A

Display Size: 19.5"

Speaker: 4W (2*2W Speaker)

Colour: Black

Light and cost-effective plastic housing

Support 7*24 operation

High fidelity digital processing for a brilliant and vivid video

Fast response time with no image blurring or ghosting

Low energy consumption, long service life

Vesa Mount Support

100Hz Refresh Rate

model number	HV-20RX100
screen size	19.5 in.
Panel Type	TN
Border type	bezel
resolution (of a photo)	1600×900
Display Color	16.7M
color saturation	NTSC 74%
aspect ratio	16:9
luminance	250cd/m2
Screen refresh rate (max)	100HZ
response time	5ms
contrast (balance of black and white in TV screen setup)	1000:1
viewing angle	80°/80°/70°/70°
Power Consumption	35W
Standby power consumption	0.5W
Bracket ID	Ordinary Fixed Bracket
tilt	N/A
turn	N/A
power switch	yes
switchgear	yes
RGB light effect design on the back shell	nothing
anti-theft lock	N/A
Horn specifications	2*2W (4Ω8w optional / not included in regular quote)
HDMI	1 (HDMI input)
VGA	1 (VGA input)
Power Jack	1 DC5.5*2.1

Interface Pictures

Interface Remarks Description Standard: HDMI port + VGA port + DC port

Standard equipment list	power adapter	1, 12V/2.5A
[VGA cable/HDMI cable Either one of the two]	VGA cable	1
	HDMI cable	1
	synopsis (of a play or film)	1

Standard equipment list picture

Adapter VGA cable HDMI cable Instruction manual
Product Size: Centimeter (CM)

body size			Color box size			Outer box size (5 units/box)		
long	wide	thick	long	wide	high	long	wide	high
46.3	27.4	1.6	48.2	10.3	41.2	55	48.5	36.2
net weight	0.5	kilogram (kg)	net weight	0.35	kilogram (kg)	net weight	1.15	kilogram (kg)

Data are subject to deviation and are based on actual shipments.