

MONITOR SERIES

HV-22RX100

HiView 22 Inch Monitor



Resolution: 1920 * 1080

Brightness: 300 cd/m²

Contrast: 1000:1

Response Time: 5ms

Input: VGA×1, HDMI×1

Power Rating: DC 12V/2A

Display Size: 21.5"

Speaker: 4W (2*2W Speaker)

Colour: Black

Light and cost-effective plastic housing

Support 7*24 operation

High fidelity digital processing for a brilliant and vivid video


Fast response time with no image blurring or ghosting

Low energy consumption, long service life

Vesa Mount Support

100Hz Refresh Rate

model number	HV-22RX100
screen size	21.5 inches (493.6 x 282.5 mm)
Panel Type	Flat
Border type	borderless
resolution (of a photo)	1920×1080 (1K)
curvature	flatness
Display Color	16.7M
color saturation	90% sRGB
aspect ratio	16:9
luminance	300cd/m2
Screen refresh rate (max)	100HZ
response time	1 ms
contrast (balance of black and white in TV)	1000:1
viewing angle	178°/178°
Power Consumption	42W
Standby power consumption	0.5W
Bracket ID	Ordinary Fixed Bracket
tilt	N/A
turn	N/A
power switch	yes
switchgear	yes
RGB light effect design on the back shell	yes
anti-theft lock	N/A
Horn specifications	2*2W (4Ω8w optional / not included in regular quote)
HDMI port	1 (HDMI 1.4)
VGA connector	1pc (VGA input)
Power connector	1 DC5.5*2.1

Interface Pictures

Interface Remarks Description
 Standard: HDMI port + VGA port + DC port

Standard equipment list	power adapter	1, 12V/2.5A
[VGA cable/HDMI cable Either one of the two]	VGA cable	1
	HDMI cable	1
	synopsis (of a play or film)	1

Standard equipment list picture

Adapter VGA cable HDMI cable Instruction manual
